


**Full Line of
Standard
HVAC Coils**



NORTEK AIR SOLUTIONS

STANDARD COILS

Nortek Air Solutions is a world leader in the manufacture of new and replacement coils for air handling solutions. Coils are crucial to the overall operation and efficiency of an air handling unit and need to be made of the highest-quality materials, manufactured under strict quality control standards and designed for long life and top performance.

Nortek Air Solutions provides coils that include variable casing dimensions, fin spacing, copper tube thickness, aluminum and copper fin, and galvanized or stainless-steel casings. The entire coil (fins, tubes, connections, headers and casing) are completely covered with several different coating options.

Coil Types

As a provider of custom engineered coils, we can meet the demands of any HVAC coil configuration, including: hot and chilled water, steam, booster, direct expansion (DX), and desaturation options.

Hot and Chilled Water Coils

- For cooling, heating and general heat transfer applications
- Water or thermal fluids like ethylene or propylene glycol

Steam Coils

- Heating and drying applications
- Standard or steam distribution types

Booster Coils*

- Ideal for duct mounting
- 5/8" OD tubes; 1 or 2 row


DX Coils*

- For use with a variety of refrigerants
- Multiple circuit arrangements are available such as face split and intertwined circuiting


Desaturation Coils

- Combines a chilled water coil and a hot water reheat coil
- One supply and one return connection
- Efficiently and cost effectively reduces relative humidity of the air

*Please note booster and DX coils are not AHRI certified



**HOT AND CHILLED
WATER COIL**



Return Bends

Along with brazed returns, Nortek Air Solutions also provides hairpin returns at our Oklahoma City, Oklahoma coil production facility. Hairpin construction adds the following advantages:



- Hairpins reduce the amount of brazing time required by approximately 40%
- Hairpins eliminate the possibility of leaks on one end of the coil
- Reduced overall cost based on elimination of brazing on half of the coil

Testing

- AHRI Certified™ to Standard 410 – Giving you the confidence that your coils will perform as promised
- AHRI Certified coil performance can be useful during verification for LEED® or other building certification programs


Conclusion

Whether new or replacement, Nortek Air Solutions can provide the coil configuration that meets the most demanding applications and timelines. Whether your need is in days or in weeks, we can deliver a solution for you that is on time and on spec.



**BOOSTER
COIL**

STEAM COIL



DX COIL



LEED is a registered trademark of the U.S. Green Building Council.
AHRI Certified is a trademark of the Air Conditioning Heating and Refrigeration Institute.

Specifications and illustrations subject to change without notice and without incurring obligation.

© Nortek Air Solutions, LLC 2024. All Rights Reserved.
NAS-OKC-COIL-SB-20230531

 **NORTEK**™
COIL SOLUTIONS

nortekair.com