
VHC

Product Overview

- Pre-Engineered DOAS Unit
- 800 – 5,500 CFM
- 3 – 21 Tons Air-Cooled or WSHP
- 100% Outside Air with Mixed Air Option
- 2" ITF Construction

Target Markets

Education: Universities, K-12

Commercial: Offices, Hotels, Restaurants

Government: Offices


Healthcare: Hospitals, Clinics



Key Features

- Pre-Engineered Energy Recovery Ventilator
- Air-Cooled or WSHP Integrated Cooling
- Hot Gas Reheat Available (HGRH)
- CW Cooling Available
- Electric, Indirect Gas, HW, Steam or WSHP Heating Options
- Three Models (VHC-36, VHC-42, VHC-50)
- Energy Recovery Wheels on All Models (4" & 8" Thickness Available)
- Nortek Branded Direct Drive Polymer Fan Wheel w/ ECM (AC Motors on 575V/3)
- Thermal Break Cabinet Construction
- Formed C-Channel Base (No Structural Tube)
- Innovative Floor Membrane System
- Standalone DDC Controls w/ BACnet Protocol Option
- 1% Leakage @ 9" wg

DX PORTFOLIO / PRODUCT OFFERING



Website: nortekair.com
 Email: nortekairinfo@nortek.com

Ultraline™, V-Cube™ and V-Cube Slim™ are trademarks and EnergyPack® is a registered trademark of Nortek Air Solutions, LLC.

© Nortek Air Solutions, LLC 2018